



EFFECTIVE FROM
JANUARY 2024

EXPORT CATALOGUE
ADAS SYSTEMS
& DIAGNOSIS

REL. MAY 2024


The pictures included in the present illustrated catalogue, are only intended to show the product and are therefore not binding. The company reserves the right to make in every moment and without prior notice, any modification deemed necessary.

NEXION S.p.A. declines any responsibility for any complaint coming from the use of not original accessories or spares with consequent forfeiture of the CE conformity declaration.



INDEX

FRONT SENSORS CALIBRATION EQUIPMENT	4
PROADAS RS DIGITAL	4
PROADAS TS DIGITAL	5
PROADAS TS-3D DIGITAL	6
PROADAS START DIGITAL	7
PROADAS RS V1	8
PROADAS TS V1	9
PROADAS TS-3D V1	10
PROADAS START V1	11
PROADAS OPTIONAL ACCESSORIES	12
SIDE-REAR-360° SENSORS CALIBRATION EQUIPMENT	19
RADAR CALIBRATION EQUIPMENT	22
SCE 310	22
ACCESSORIES FOR SCE 300 / 310	23
ACCESSORIES	25
IONE REMOTE	29
SELF-DIAGNOSIS	31
IONE CRUISER	31
OPTIONAL ACCESSORIES FOR IONE CRUISER	32
ACCESSORIES FOR ADAS & DIAGNOSIS	34
RENEWAL OF TIS SUBSCRIPTIONS FOR SOCIO LINE PRODUCTS	35

PROADAS RS DIGITAL





PROADAS RS DIGITAL

PN	Power Supply	Description
0-62103301/00	110-230/1ph/50-60Hz	PROADAS RS DIGITAL The RS Digital kit is designed for customers not having a wheel aligner and is composed by: PROADAS SCE 910, Radar panel, Optical sensors adjustment kit, Kit HL v.2, n. 2 BT laser pointers, Laser pointer support for bracket, Steering lock, License for wheel alignment pre-check, Short bar kit with pins, 75" Monitor, Mini-PC for digital targets reproduction for the front camera. Four (4) brackets are needed (not included as standard).
8-62100123		Functionality license PROADAS DIGITAL, 12 months subscription (compulsory)
8-62200089		Customization kit PROADAS RS DIGITAL (compulsory)

PROADAS TS DIGITAL





PROADAS TS DIGITAL

PN	Power Supply	Description
0-62103401/00	110-230/1ph/50-60Hz	PROADAS TS DIGITAL The TS Digital kit is designed for customers having a NEXION CCD/CMOS wheel aligner and is composed by : PROADAS SCE 910, Radar panel, HL. V.2 Kit, n. 2 BT laser pointers, Short radar bar kit with pins, Laser pointer support for bracket, 75'' Monitor, Monitor cover, Mini-PC for digital targets reproduction for the front camera, data exchange kit wheel aligners - PROADAS.
8-62100123		Functionality license PROADAS DIGITAL, 12 months subscription (compulsory)
8-62200090		Customization kit PROADAS TS DIGITAL (compulsory)

PROADAS TS-3D DIGITAL





PROADAS TS-3D DIGITAL

PN	Power Supply	Description
0-62103501/00	110-230/1ph/50-60Hz	PROADAS TS-3D DIGITAL The TS-3D Digital kit is designed for customers having a NEXION new generation camera wheel aligner and is composed by: PROADAS SCE 910, Radar panel, n. 2 BT laser pointers, Laser pointer support for bracket, Long radar bar kit, 3D Target kit, 75" Monitor, Monitor cover, Mini-PC for digital targets reproduction for the front camera, data exchange kit wheel aligner - PROADAS.
8-62100123		Functionality license PROADAS DIGITAL, 12 months subscription (compulsory)
8-62200091		Customization kit PROADAS TS-3D DIGITAL (compulsory)


PROADAS START DIGITAL





PROADAS START DIGITAL

PN	Power Supply	Description
0-62103601/00	110-230/1ph/50-60Hz	PROADAS START DIGITAL The START kit is composed by : PROADAS SCE 910, Radar panel,n, 2 laser pointers, START alignment kit, Long radar bar kit, 75" Monitor, Mini-PC for digital targets reproduction for the front camera. Two (2) brackets are needed (not included as standard).
8-62100123		Functionality license PROADAS DIGITAL, 12 months subscription (compulsory)
8-62200092		Customization kit PROADAS START DIGITAL (compulsory)

PROADAS RS V1




PROADAS RS V1



PN	Power Supply	Description
0-62103701/00	110-230V/1PH/60-60HZ	PROADAS RS V1 The RS V1 kit is designed for customers not having a wheel aligner and is composed by: PROADAS SCE 910, Radar panel, Optical sensors adjustment kit, Laser pointer support for bracket, Steering lock, License for wheel alignment pre-check; Short bar kit.Four (4) brackets are needed, NOT INCLUDED AS STANDARD.
8-62100012		Functionality license ,12 months subscription (compulsory)
8-62200093		RS V1 customization kit (compulsory)

FRONT SENSORS CALIBRATION EQUIPMENT


PROADAS TS V1



PROADAS TS V1

PN	Power Supply	Description
0-62103801/00	110-230V/1PH/60-60HZ	PROADAS TS V1 The TS V1 kit is designed for customers having a NEXION CCD/CMOS wheel aligner and is composed by : PROADAS SCE 910, Radar panel, HL. V.2 Kit, Short radar bar kit with pins, Laser pointer support for bracket, data exchange kit wheel aligner - PROADAS.
8-62100012		Functionality license , 12 months subscription (compulsory)
8-62200094		TS V1 customization kit (compulsory)

PROADAS TS-3D V1





PANEL NOT INCLUDED




STANDARD ACCESSORIES



PROADAS TS-3D V1

PN	Power Supply	Description
0-62103901/00	110-230/1ph/50-60Hz	PROADAS TS-3D V1 The TS-3D V1 kit is designed for customers having a NEXION new generation camera wheel aligner and is composed by : PROADAS SCE 910, Radar panel, n. 2 BT laser pointers, Laser pointer support for bracket, Long radar bar kit, 3D target kit, data exchange kit wheel aligner - PROADAS.
8-62100012		Functionality license , 12 months subscription (compulsory)
8-62200095		TS-3D V1 customization kit (compulsory)





PROADAS START V1







PROADAS START V1

PN	Power Supply	Description
0-62104001/00	110-230/1ph/50-60Hz	PROADAS START V1 The START V1 kit is composed by : PROADAS SCE 910, Radar panel, START alignment kit, Long radar bar kit. Two (2) brackets are needed, NOT INCLUDED AS STANDARD
8-62100012		Functionality license, 12 months subscription (compulsory)
8-62200096		START V1 customization kit (compulsory)





PROADAS OPTIONAL ACCESSORIES

PN	Picture	Description	RS	TS	TS-3D	START
COMPLEMENTS						
8-62100054/91		START alignment kit: PROADAS alignment kit by laser pointers for PROADAS TS-3D, composed by: Pair (2) of targets to be mounted on the clamps of the vehicle rear axis, calibration kit, Pair (2) of supports for orthogonality measurements of laser pointer 1 and 2.	-	-	●	■
8-62600006		PROADAS START- camera wheel aligner alignment kit: Kit to align PROADAS START to camera wheel aligner - Long bar, composed by : Pair (2) of supports for long bar target, Pair (2) of adjustment targets, Wi-Fi Router, USB storage key.	-	-	■	●
8-34100025		PROADAS RS/TS - camera wheel aligner alignment kit : Kit to align PROADAS RS/TS to camera wheel aligner - Short bar, composed by: Pair (2) of adjustment targets, Wi-Fi Router, USB storage key.	●	●	-	-
8-62200060		Software enabling kit for wheel aligner C200 iNext - PROADAS : USB software key C200 iNext, software pack + sim card, hardlock, 50 cm USB cable, pedal brake depressor - compatible with tablet 10" Win 10, BT keyboard	●	-	-	-







PROADAS OPTIONAL ACCESSORIES

PN	Picture	Description	RS	TS	TS-3D	START
COMPLEMENTS						
8-62100021		Pair of 10-26" carbon brackets for cars	●	●	●	●
8-62100061		Pair of 10-21" brackets with pin and extension kit up to 26"	●	●	●	●
8-31600017		Support kit for selfcentering brackets	●	●	●	■
8-62100050		Pair of 13-28" support rapid brackets	●	●	●	●
8-62100062	IMAGE NOT AVAILABLE	Pair of laser pointers for pair of 13-28" support rapid brackets	●	●	●	●






PROADAS OPTIONAL ACCESSORIES

PN	Picture	Description	RS	TS	TS-3D	START
8-62100038/39		Support panel for 4 sensors, 4 buckets and recharge module	●	●	-	-
8-62100063/92		Pair of brackets for support panel	●	●	●	●
8-62100042		Calibration unit for optical sensors	●	●	-	-
FRONT CAMERA CALIBRATION PANELS (ONLY FOR PROADAS VERSIONS WITH PANELS)						
8-62100037		Toyota/Lexus version 1, Mazda, Suzuki panel, front camera	●	●	●	●






PROADAS OPTIONAL ACCESSORIES

PN	Picture	Description	RS	TS	TS-3D	START
8-62100045		Toyota/Lexus version 2, Mazda, Suzuki panel, front camera	●	●	●	●
8-62100024		Mercedes panel, front camera	●	●	●	●
8-62100023		Alfa Romeo panel, front camera	●	●	●	●
8-62100025		Nissan panel vesion 1, front camera	●	●	●	●
8-62100030		Nissan MERCEDES panelb version 2, front camera	●	●	●	●
8-62100026		VAG panel, front camera	●	●	●	●




PROADAS OPTIONAL ACCESSORIES

PN	Picture	Description	RS	TS	TS-3D	START
8-62100027		KIA-HYUNDAI, FIAT, PSA and JEEP panel, front camera	●	●	●	●
8-62100148		HYUNDAI H350 panel, front camera iONE REMOTE is necessary for calibration	●	●	●	●
8-62100028		Renault and Smart panel, front camera	●	●	●	●
8-62100029		MAZDA panel version 1, front camera	●	●	●	●
8-62100040		Mazda panel version 2, front camera	●	●	●	●





PROADAS OPTIONAL ACCESSORIES

PN	Picture	Description	RS	TS	TS-3D	START
8-62100041		SUZUKI panel, front camera	●	●	●	●
8-62100065		SUZUKI IGNIS panel, front camera	●	●	●	●
8-62100150		MITSUBISHI panel front camera iONE REMOTE is necessary for calibration	●	●	●	●
8-62100152		SUBARU-TOYOTA panel, front camera iONE REMOTE is necessary for calibration	●	●	●	●
FRONT CAMERA AND LIDAR CALIBRATION PANELS (FOR ALL PROADAS VERSIONS)						
8-62100043		LIDAR VAG panel	●	●	●	●






PROADAS OPTIONAL ACCESSORIES

PN	Picture	Description	RS	TS	TS-3D	START
8-62100151		HONDA VERS. 1 panel, front camera To be used with P/N 8-621000141 in PROADAS DIGITAL versions iONE REMOTE is necessary for calibration	●	●	●	●
8-62100106		HONDA FRONT CAMERA PANEL VERS. 2 * Calibration panel for the front camera in HONDA vehicles * to be used with P/N 8-621000141 in PROADAS DIGITAL Versions	●	●	●	●
8-62100141		TARGET PANEL EXTENSION KIT Kit for using physical panels with PROADAS DIGITAL	●	●	●	●






SIDE-REAR-360° SENSORS CALIBRATION EQUIPMENT

PN	Picture	Description
0-62103101/00		SCE 700: equipment designed for the calibration of the AVM camera system, rear camera and BlindSpot for VAG group vehicles, composed by: Panel to calibrate the rear VAG camera Pair (2) of vertical targets + supports for AVM camera 1 red laser blade + support
8-62100052		VAG side mats for VAG AVM camera calibration
8-62100067		Rear camera kit - RENAULT
8-62100068		360° CAMERA KIT RENAULT Kit for 360° camera calibration on Renault-Dacia vehicles

SIDE-REAR-360° SENSORS CALIBRATION EQUIPMENT

PN	Picture	Description
8-62100130		360° camera kit MAZDA
8-62100142		360° camera kit TOYOTA/LEXUS type 1 Kit for 360° camera calibration in TOYOTA/LEXUS type 1 vehicles
8-62100109		KIA / HYUNDAI 360° CAMERA MATS KIT Kit for 360° camera calibration in Kia-Hyundai vehicles
8-62100122		MB REAR CAMERA KIT TYPE 2 Kit for calibrating the rear camera in MB vehicles
8-62100146		CALIBRATION TARGET REAR CAMERA TOYOTA/LEXUS Calibration target in rear camera in Toyota/Lexus vehicles

SIDE-REAR-360° SENSORS CALIBRATION EQUIPMENT


PN	Picture	Description
8-62100153		NISSAN type 1 rear camera calibration mat kit iONE REMOTE is necessary for calibration
8-62100154		NISSAN type 2 rear camera calibration mat kit iONE REMOTE is necessary for calibration
8-62100155		NISSAN type 3 rear camera calibration mat kit iONE REMOTE is necessary for calibration
8-62100166		OPEL 360 camera calibration mat kit
8-62100167		MITSUBISHI 360 camera calibration kit

NEW!




NEW!

RADAR CALIBRATION EQUIPMENT

SCE 310

Image	Description	PN
	<p>SCE 310: Equipment designed for ADAS radar sensor calibration for Mazda, Toyota, Honda, Subaru, Kia-Hyundai, Suzuki brands * Reflector, Green Laser Blade and distance/height measurement NOT included; please use the ones supplied with PROADAS</p>	<p>0-62103201/91</p>



ACCESSORIES FOR SCE 300 / 310

PN	Picture	Description
8-62100046		Reflector type 1 for Toyota, Honda, Subaru, Suzuki and Mazda brands. To be used with SCE 310.
8-62100047		Reflector type 2 for Kia, Hyundai and Mazda brands. To be used with SCE 310.
8-62100149		Reflector type 3 for MITSUBISHI. To be used with SCE 310. iONE REMOTE is necessary for calibration


ACCESSORIES FOR SCE 300 / 310

PN	Picture	Description
8-62100107/91		<p>ALIGNMENT KIT SCE 300 Kit to be integrated with the SCE 300 equipment to be able to quickly and accurately calibrate the ADAS radar sensors for the Toyota, Honda, Subaru, Kia-Hyundai and Mazda brands</p>
8-62100136		<p>SMART CITY BRAKE-MAZDA CONTROL PANEL Panel for controlling the correct operation of the laser sensor on some Mazda models. To be used with SCE 310.</p>

RADAR CALIBRATION EQUIPMENT

PN	Picture	Description	RS	TS	TS-3D	START	SCE 300 / 310	SCE 700
8-62100060/00		VAG - MAZDA Doppler device for Radar-BSD sensors	●	●	●	●	-	●
8-62100143		Toyota/Lexus parking sensor positioning kit	●	●	●	●	-	●





OPTIONAL ACCESSORIES

PN	Picture	Description	RS	TS	TS-3D	START	SCE 300	SCE 700
MISCELLANEOUS								
8-62100138		<p>Kit to update the PROADAS Panel versions in the version with Monitor* composed by: 75" monitor, monitor support plate, minipc, HDMI cable, monitor cover, anti-tipping kit**</p> <p>*it is necessary to order the PROADAS DIGITAL Functionality license, 12 months subscription, cod. 8-62100123</p> <p>** it is necessary to order the WHEEL KIT Ø80mm cod. 8-62100044 for PROADAS produced in 2019.</p>	●	●	●	●	-	-


OPTIONAL ACCESSORIES

PN	Picture	Description	RS	TS	TS-3D	START	SCE 300	SCE 700
8-62100069		Protection cover for PROADAS with Panels	●	●	●	●	-	-
8-62100145		Headlight cover kit including 2 headlight covers	●	●	●	●	●	●
8-62100064		Green Laser blade	■	■	■	■	●	●
8-62100117		Battery charger kit includes: charger with power supply, n. 4 rechargeable batteries type AA, n. 4 rechargeable batteries type AAA	●	●	●	●	●	●
8-61200237		Inkjet USB printer unit (wireless)	●	●	●	●	-	-

OPTIONAL ACCESSORIES

PN	Picture	Description	RS	TS	TS-3D	START	SCE 300	SCE 700
MISCELLANEOUS								
8-34900036/25		Wheeled cabinet Practical wheeled cabinet for printer and material storing. Accessory in an "easy to assemble" package.	●	●	●	●	-	-
8-33100050		Steering wheel level water gauge	●	●	●	●	-	-
8-33100081		Brake pedal depressor	●	●	●	●	-	-
8-33100082		Steering lock	■	●	●	●	-	-






 : New or Modified Item

OPTIONAL ACCESSORIES

PN	Picture	Description	RS	TS	TS-3D	START	SCE 300	SCE 700
8-62100135		PROADAS software kit 2.0: enabling kit to use PROADAS for diagnose of third parties. Windows operating system.	●	●	●	●	●	●
8-62100013		Renewal for PROADAS functionality license, 12 months subscription starting from previous expiry date (valid for ongoing subscriptions or for subscription expired since less than 7 months). Online procedure. It includes one- year updating service starting from the previous expiry date. Windows operating system.	●	●	●	●	●	●
8-62100033		Renewal for PROADAS functionality license, 12 months subscription service starting from the subscription date. Valid for ongoing subscriptions or for subscriptions expired since more than 7 months. Online procedure. It includes one-year updating service starting from the previous expiry date. Windows operating system.	●	●	●	●	●	●
8-62100124		Renewal for PROADAS DIGITAL functionality license, 12 months. Subscription starting from previous expiry date (valid for ongoing subscriptions or for subscription expired since less than 7 months).	●	●	●	●	●	●
8-62100125		Renewal for PROADAS DIGITAL functionality license, 12 months. Subscription starting from previous expiry date (valid for ongoing subscriptions or for subscription expired since more than 7 months).	●	●	●	●	●	●

IONE REMOTE

iONE REMOTE

PN		Description	
0-67501700		iONE REMOTE Remote support device	
8-62500003		Credits for remote diagnosis service – credits (10)* Remote support service for ADAS calibrations. *It is necessary to purchase the iONE REMOTE device	
8-62500004		Credits for remote diagnosis service – credits (30)* Remote support service for ADAS calibrations. *It is necessary to purchase the iONE REMOTE device	

SENSOR ADAS CALIBRATION EQUIPMENT

Modello Model	Modalità lavoro Way of working	Tecnologia Technology	FUNZIONI - FUNCTIONS								
Proadas RS											
Proadas START											
Proadas TS											
Proadas TS-3D											
SCE 310											
SCE 700											

Proadas RS	Proadas START	SCE 310	SCE 700	Con assetto 3D 3D wheel aligners	Con assetto CCD CCD wheel aligners	Telecamera 3D 3D camera	Testine CCD CCD sensors heads	Puntatore Laser Laser pointers	Controllo pos. tempo reale Real time positioning control
Precheck assetto Precheck wheel alignment	Manutenzione assetto Wheel alignment service	Telecamera frontale Front camera	Telecamera posteriore Rear camera	Telecamera 360° 360° camera	Radar frontale Front radar	Radar BSD BSD radar	LIDAR frontale Front LIDAR		



: New or Modified Item

SELF-DIAGNOSIS


iONE CRUISER



Compatible with



Diagnosis License not Included









iONE CRUISER

PN	Description
0-67501200	iONE CRUISER New generation diagnostic device, designed to work with all types of vehicles and communication protocols with the different ECU.
8-67500010	Activation License iONE Windows - Export (Compulsory) Included 12 months update service. Licenses can be activated through SOCIO Collection portal.



: New or Modified Item


OPTIONAL ACCESSORIES FOR iONE CRUISER

PN	Picture	Description
LICENSES AND SUBSCRIPTIONS		
8-67500017		Activation license Security Gateway Management. Includes: 12 months subscription
8-67500018		Subscription renewal Security Gateway Management - 12 months
8-67500013		Activation License iONE Android - EXPORT Included 12 months update service. Licenses can be activated through SOCIO Collection portal. The price of the Android activation license will be completely deducted on invoice when purchasing the Android Tablet.
8-67500011		12 Months subscription renewal iONE - EXPORT Update subscription service for valid or expired subscriptions less than 7 months. Included: extension update service of 12 months from the previous expiry date. Renewable through SOCIO Collection portal
8-67500012		12 Months subscription renewal and expired released recovery iONE - EXPORT Update subscription service "lapsed" for subscriptions expired more than 7 months. Included: extension update service of 12 months from the previous subscription date, Renewable through SOCIO Collection portal.
COMPLEMENTARY		
8-67501100		Tablet ANDROID 10" (NOT for ADAS)

OPTIONAL ACCESSORIES FOR iONE CRUISER



PN	Picture	Description
8-67500014		<p>Activation License iONE TECHDATA - EXPORT Optional license for ONLINE technical data consultation.</p> <p>Available languages: IT, UK, DE, FR, PT, ES, GR. This license is only issued and enabled in combination with an iONE Windows license in course of validity.</p>

It includes following services:







Technical content provided in collaboration with Haynespro

ACCESSORIES FOR ADAS & DIAGNOSIS

PN	Picture	Description
8-62100108		TABLET 10" RUGGED WIN10 - RIS. 1920X1080
8-33100164		Win10 Laptop

RENEWAL OF TIS SUBSCRIPTIONS FOR SOCIO LINE PRODUCTS

PN	Picture	Description
6011510820	 	<p>Renewal for TIS functionality license, 12 months subscription starting from previous expiry date (valid for ongoing subscriptions or for subscription expired since less than 7 months). Online procedure. It includes one-year updating service starting from the previous expiry date.</p>
6011510825	 	<p>Renewal for TIS functionality license, 12 months subscription + previous years recovery. 12 months subscription service starting from the subscription date. Valid for ongoing subscriptions or for subscription expired since more than 7 months. Online procedure. It includes one-year updating service starting from the previous expiry date.</p>



**COMPANY WITH
CERTIFIED
QUALITY SYSTEM
- ISO 9001-**

